

**Case 3377.*****Ataenius* Harold, 1867 (Insecta, Coleoptera): proposed precedence over  
*Aphodinus* Motschulsky, 1862**

Henry F. Howden

*Canadian Museum of Nature, P.O. Box 3443, Station 'D', Ottawa,  
ON K1P 6P4, Canada* (e-mail: hhowden@mus-nature.ca)

Aleš Smetana

*Agriculture and Agri-Food Canada, Biosystematics, 960 Carling Ave.,  
C.E.F., K.W. Neatby Bldg., Ottawa, ON K1A 0C6, Canada*  
(e-mail: smetanaa@agr.gc.ca)

**Abstract.** The purpose of this application, under Articles 23.9.3 and 81.2.3 of the Code, is to conserve the generic name *Ataenius* Harold, 1867 for a world-wide and well-known genus of scarab beetles (family SCARABAEIDAE) by giving it precedence over the older name *Aphodinus* Motschulsky, 1862. Prior to 2001, the name *Aphodinus* was largely ignored, although it was used by Schmidt in three of his publications (1913, 1914, 1922) for a subgenus of *Aphodius* Illiger, 1798. In 2001, Dellacasa, Bordat & Dellacasa placed *Ataenius* in synonymy with *Aphodinus*. *Ataenius* is a genus with a nearly world-wide distribution and approximately 300 described species. Replacement of the name *Ataenius* by *Aphodinus* would seriously affect the stability of the group.

**Keywords.** Nomenclature; taxonomy; Coleoptera; SCARABAEIDAE; *Ataenius*; *Aphodinus*; *Ataenius scutellaris*; *Aphodinus castanicolor*; scarab beetles; world-wide.

---

1. Motschulsky (1862, p. 55) established the genus *Aphodinus* by listing under that name three previously described species: *Aphodius castanicolor* Motschulsky, 1858, *Aphodius cancelliventris* Motschulsky, 1858 and *Aphodius compacticollis* Motschulsky, 1858. *Aphodinus* was listed again by Motschulsky in 1869 (p. 63), with the same three species included.

2. *Aphodinus* was not mentioned subsequently until Schmidt (1913, 1914, 1922) used it for a subgenus of *Aphodius* and included in it the three species originally listed by Motschulsky.

3. Kozhantschikov (1916, p. 192) studied the types of both *Aphodius castanicolor* and *Aphodius cancelliventris* and put both names as junior synonyms of *Aphodius australasiae* Boheman, 1858 (p. 50), the type species of *Pseudammoecius* Schmidt, 1913 (p. 160). This synonymy was confirmed by Stebnicka & Howden (1997, p. 761).

4. Apart from being listed by Neave (1939, p. 248) in his 'Nomenclator', *Aphodinus* was not mentioned until Dellacasa (1988, p. 231) reintroduced the name and considered it a possible senior synonym of *Pseudammoecius* Schmidt, 1913. Thus the status of *Aphodinus* has remained uncertain, partly because of the absence of a

designated type species and partly because it has been overlooked or been considered unavailable.

5. Stebnicka (1990, p. 898) transferred *Aphodius australasiae* Boheman, 1858 to the genus *Ataenius* Harold, 1867 and by doing so synonymized *Pseudammoecius* Schmidt, 1913 with *Ataenius*.

6. The type species of *Ataenius* by subsequent designation by Cartwright (1974, p. 1) is *Ataenius scutellaris* Harold, 1867.

7. Dellacasa, Bordat & Dellacasa (2001, p. 36) designated *Aphodius castanicolor* as the types species of *Aphodinus* and consequently effectively listed *Ataenius* as its junior synonym.

8. The statement of synonymy by Dellacasa, Bordat & Dellacasa (2001) has apparently been overlooked, as at least nine papers have been published subsequently using the name *Ataenius*, with no mention of *Aphodinus*. Although *Aphodinus* is an older name and has priority over *Ataenius*, the latter, with around 300 described species, has a long history of use in over a hundred references (see Nakane, 1960; Balthasar, 1964; Cartwright, 1964, 1974; Petrovitz, 1964; Arnett, 1968; Woodruff, 1973; Cartwright & Chalumeau, 1978; Watt, 1984; Baraud, 1985; Dellacasa, 1988; Stebnicka, 1990; Downie & Arnett, 1996; Stebnicka & Howden, 1997; Skelley & Gordon, 2002). *Aphodinus*, on the other hand, was used only sporadically and inconsistently.

9. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary power to give the name *Ataenius* Harold, 1867 precedence over the name *Aphodinus* Motschulsky, 1862, whenever the two are considered to be synonyms;
- (2) to place on the Official List of Generic Names in Zoology the following names:
  - (a) *Ataenius* Harold, 1867 (gender: masculine), type species by subsequent designation by Cartwright (1974) *Ataenius scutellaris* Harold, 1867, with the endorsement that it is to be given precedence over the name *Aphodinus* Motschulsky, 1862 whenever the two are considered to be synonyms;
  - (b) *Aphodinus* Motschulsky, 1862 (gender: masculine), type species by subsequent designation by Dellacasa, Bordat & Dellacasa (2001) *Aphodius castanicolor* Motschulsky, 1858, with the endorsement that it is not to be given priority over the name *Ataenius* Harold, 1867 whenever the two are considered to be synonyms;
- (3) to place on the Official List of Specific Names in Zoology the following names:
  - (a) *scutellaris* Harold, 1867, as published in the binomen *Ataenius scutellaris* (specific name of the type species of *Ataenius* Harold, 1867);
  - (b) *castanicolor* Motschulsky, 1858, as published in the binomen *Aphodius castanicolor* (specific name of the type species of *Aphodinus* Motschulsky, 1862).

#### Acknowledgements

We thank Yves Bousquet (*Agriculture and Agri-Food Canada, Biosystematics, Ottawa, Canada*) and Andrew B.T. Smith (*Canadian Museum of Nature, Ottawa, Canada*) for reviewing an earlier draft of this paper.

## References

- Arnett, R.H., Jr.** 1968. *The beetles of the United States (a manual for identification)*. 1112 pp. American Entomological Institute, Ann Arbor.
- Balthasar, V.** 1964. *Monographie der Scarabaeidae und Aphodiidae der palaearktischen und orientalischen Region. Coleoptera: Lamellicornia. Band 3. Aphodiidae*. 652 pp., 2 pls. Verlag der Tschechoslowakischen Akademie der Wissenschaften, Prag.
- Baraud, J.** 1985. *Coleoptères Scarabaeoidea. Faune du Nord de l'Afrique du Maroc au Sinaï. Encyclopédie Entomologique*, vol. 46. 651, 1 pp. Lechevalier, Paris.
- Cartwright, O.L.** 1964. Lectotype designations and new synonymy in the genus *Ataenius* (Coleoptera, Scarabaeidae). *Coleopterist's Bulletin*, **18**: 101–104.
- Cartwright, O.L.** 1974. *Ataenius, Aphotaenius, and Pseudoataenius* of the United States and Canada (Coleoptera: Scarabaeidae: Aphodiinae). *Smithsonian Contributions to Zoology*, **154**: 1–106.
- Cartwright, O.L. & Chalumeau, F.E.** 1978. Bredin-Archbold-Smithsonian Biological Survey of Dominica: The superfamily Scarabaeoidea. (Coleoptera). *Smithsonian Contributions to Zoology*, **279**: 1–39.
- Dellacasa, M.** 1988. Contribution to a world catalogue of Aegialiidae, Aphodiidae, Aulonocnemidae, Termitotrogidae (Coleoptera, Scarabaeoidea). *Memorie della Società Entomologica Italiana*, **66**: 1–455.
- Dellacasa, G.P., Bordat, P. & Dellacasa, M.** 2001. A revisional essay of world genus-group taxa of Aphodiidae. *Memorie della Società Entomologica Italiana*, **79**: 1–482.
- Dellacasa, M. & Dellacasa, G.** 2006. Tribe Aphodiini Leach, 1815. Pp. 105–143 in Löbl, I. & Smetana, A. (Eds.), *Catalogue of Palaearctic Coleoptera*, vol. 3. 690 pp. Apollo Books, Stenstrup.
- Downie, N.M. & Arnett, R.H., Jr.** 1996. *The beetles of northeastern North America*, vol. 1. 880 pp. Sandhill Crane Press, Gainesville.
- Harold, E.** 1867. Diagnosen neuer Coprophagen. *Coleopterologische Hefte*, **1**: 76–84.
- Illiger, J.C.W.** 1798. *Verzeichniß der Käfer Preussens. Entworfen von Johann Gottlieb Kugelann, Apotheker in Osterode. Mit einer Vorrede des Professors und Pagenhofmeisters Hellwig im Braunschweig, und dem angehängten Versuche einer natürlichen Ordnungs- und Gattungs-Folge der Insecten*. xlii, 510, [1] pp. J.J. Gebauer, Halle.
- Kozhantschikov, V.** 1916. Septième contribution à l'étude des Aphodiini (Coleoptera, Scarabaeidae). *Russkoe Entomologicheskoe Obozrenie*, **16**: 192–208.
- Motschulsky, V. de.** 1858. Entomologie spéciale. Insectes des Indes orientales. Pp. 20–122 in: *Études Entomologiques*, vol. 7. Helsingfors.
- Motschulsky, V. de.** 1862. Synonymie. 55 pp. in: *Études Entomologiques*, vol. 11. Helsingfors.
- Motschulsky, V. de.** 1869. Genres et espèces d'insectes publiés dans différents ouvrages par Victor Motschulsky. *Horae Societatis Entomologicae Rossicae supplément*, **6**[1869–1870]: 1–118. (Pp. 1–47 in 1869; Pp. 48–118 in 1870).
- Nakane, T.** 1960. Descriptions of new forms of Lamellicornia from Japan. *Entomological Review of Japan*, **12**: 1–6.
- Neave, S.A.** 1939. *Nomenclator zoologicus. A list of the names of genera and subgenera in zoology from the tenth edition of Linnaeus 1758 to the end of 1935*, vol. 1, A–C. xiv, 957 pp. Zoological Society of London, London.
- Petrovitz, R.** 1964. Neue *Ataenius* Arten (Scarab., Col.). *Entomologische Arbeiten aus dem Museum Georg Frey*, **15**: 279–285.
- Schmidt, A.** 1913. Erster Versuch einer Einteilung der exotischen Aphodien in Subgenera und als Anhang einige Neubeschreibungen. *Archiv für Naturgeschichte* (A), **79**: 117–178.
- Schmidt, A.** 1914. Register zu erster Versuch einer Einteilung der exotischen Aphodien in Subgenera und als Anhang einige Neubeschreibungen. *Archiv für Naturgeschichte* (A), **79**: 203–212.
- Schmidt, A.** 1922. Coleoptera, Aphodiinae. *Das Tierreich*, vol. 45. 614 pp. Swalter de Gruyter & Co., Berlin & Leipzig.
- Skelley, P.E. & Gordon, R.D.** 2002. I. Aphodiinae Leach 1815. Pp. 42–48 in Arnett, R.H., Thomas, M.C., Skelley, P.E. & Frank, J.H. (Eds.), *American Beetles*, vol. 2. 861 pp. CRC Press, Boca Raton, FL.

- Stebnicka, Z.T.** 1990. New synonymies and notes on some Aphodiinae (Coleoptera: Scarabaeidae). *Revue Suisse de Zoologie*, **97**: 895–899.
- Stebnicka, Z.T. & Howden, H.F.** 1997. Revision of the Australian species of *Ataenius* Harold (Coleoptera: Scarabaeoidea: Aphodiinae: Eupariini). *Invertebrate Taxonomy*, **11**: 735–921.
- Watt, J.C.** 1984. A review of some New Zealand Scarabaeidae (Coleoptera). *New Zealand Entomologist*, **8**: 4–24.
- Woodruff, R.E.** 1973. The scarab beetles of Florida (Coleoptera: Scarabaeidae). Part I. The Laparosticti (subfamilies Scarabaeinae, Aphodiinae, Hybosorinae, Ochodaeinae, Geotrupinae, Acanthocerinae). *Arthropods of Florida and Neighboring Land Areas*, **11**: 1–225.

Acknowledgement of receipt of this publication was published in BZN **63**: 85.

---

Comments on this case are invited for publication (subject to editing) in the *Bulletin*; they should be sent to the Executive Secretary, I.C.Z.N., Natural History Museum, Cromwell Road, London SW7 5BD, U.K. (e-mail: iczn@nhm.ac.uk).